EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S54	1593	((public near3 address) same (private near3 address) same network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S55	561	S54 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S56	224	S55 and "370"/$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S57	428	S54 and ((name address ID) near2 (table database server)) same (NAT (network$4 near3 translat$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S58	428	S54 and (((name address ID) near2 (table database server)) same (NAT (network$4 near3 translat$5)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S59	244	S58 and "370"/$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S60	4544	370/352-356.ccls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S61	5960	370/389,392.ccls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S62	3831	370/401.ccls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S63	738	370/475.ccls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S64	2382	(((name address ID) near2 (table database server stor$5 memory maintain$5)) same (NAT (network$4 near3 translat $5)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S65	105	S60 and S64	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01

S66	123	S61 and S64	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S67	146	S62 and S64	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S68	18	S63 and S64	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S69	674	S64 and ((dynamic$6 vary$5 varie$3) near3 (address ID))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S70	33	S60 and S69	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S71	50	S61 and S69	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S72	41	S62 and S69	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S73	8	S63 and S69	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S74	3566	((broadcast$5 multicast$5 send $5 sent transmi$8 announc$7) near10 (address ID identif$8)) and ((private near3 (address ID identif$8)) same ((public$7 global$7) near3 (address ID identif$8)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S75	1421	S74 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S76	224	S75 and (DNS (name near2 server)) and NAT	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S77	3566	((broadcast$5 multicast$5 send $5 sent transmi$8 announc$7) near10 (address ID identif$8)) and ((private near3 (address ID identif$8)) same ((public$7 global$7) near3 (address ID identif$8)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S78	1421	S77 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S79	532	S78 and (DNS (name near2 server) DHCP)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01

S80	2357	((broadcast$5 send$5 sent transmi$8 announc$7) near5 (address ID identif$8)) and ((private near3 (address ID identif$8)) same ((public$7 global$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S81	915	S80 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S82	101	S81 and 709/245.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S83	191	(((broadcast$5 advertise) near5 (address ID identif$8)) with network) and ((private near3 (address ID identif$8)) same ((public$7 global$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S84	271	(((broadcast$5 advertis$7) near5 (address ID identif$8)) with network) and ((private near3 (address ID identif$8)) same ((public$7 global$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S85	110	S84 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S86	498	((without bypass$5) near7 (NAT translat$7 DNS)) and ((private near3 (address ID identif$8)) same ((public$7 global$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S87	165	S86 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S88	1	"7412004".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S89	50	new near3 (public$5 global$5) near3 address$5 near7 (broadcast$5 multicast$5 send $5 sent transmi$8 announc$7 advertis$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S90	32	S89 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S91	2	PCT/JP03/06387	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S92	3617	(public$5 global$5) near3 address$5 near7 (broadcast$5 multicast$5 send$5 sent transmi $8 announc$7 advertis$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01

S93	523	(new expir$5 chang$5) near3 (public$5 global$5) near3 address$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S94	229	S92 and S93	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S95	95	S94 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S96	4	(SGD same handoff same list). clm.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S97	1	"5109390".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S98	28	("5673322" | "5793763" | "5805803" | "5822434" | "5835718" | "5884272" | "5907677" | "5918018" | "5961593" | "6003084" | "6006264" | "6052725" | "6052788" | "6154839" | "6182226" | "6298445" | "6321336" | "6502135" | "6571290" | "6591306" | "6704873" | "6725378" | "6778525" | "6789203" | "6829654").PN. OR ("7039721"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/04/27 10:01
S99	5863	((choos$5 select$5) near7 (predefin$5 predetermin$5) near3 (profile info$8)) and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S100	5863	((choos$5 select$5) near7 (predefin$5 predetermin$5) near3 (profile info$8)) and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S101	418	S100 and ("726"/$.ccls. "370"/$. ccls.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S102	19	S101 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S103	191	S100 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S104	172	S103 not S102	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01

S105	140	((choos$5 select$5) near7 ((based adj on) basis accord $5) near7 ((predefin$5 predetermin$5) near3 (profile info$8))) and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S106	55	((choos$5 select$5) near7 (subscriber client) near7 ((based adj on) basis accord $5) near7 (QOS priority bandwidth)) and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/27 10:01
S107	1969	(public$7 near2 address) same ((private secur$5 secret$7 encrypt$5 firewall$5) near2 address)	US-PGPUB; USPAT	OR	ON	2010/04/28 11:35
S108	736	S107 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 11:35
S109	610	S108 and ("370".clas. "455". clas. "709".clas. "726".clas.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 11:36
S110	2647	((public$7 global$7) near2 address) same ((private secur $5 secret$7 encrypt$5 firewall $5) near2 address)	US-PGPUB; USPAT	OR	ON	2010/04/28 11:36
S111	678972	((broadcast$5 send$5 sent transmi$8 announc$7 notif$7 identif$7) near5 (address ID identif$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 11:49
S112	2714	((public$7 global$7) near2 address) same ((private secur $5 secret$7 encrypt$5 firewall $5) near2 (address ID identif $8))	US-PGPUB; USPAT	OR	ON	2010/04/28 11:49
S113	2528	S111 and S112	US-PGPUB; USPAT	OR	ON	2010/04/28 11:49
S114	49924	((broadcast$5 send$5 sent transmi$8 announc$7 notif$7 identif$7) near5 (address ID identif$8)) with direct$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 11:49
S115	507	S112 and S114	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 11:50
S116	27268	((broadcast$5 send$5 sent transmi$8 announc$7 notif$7 identif$7) near5 (address ID identif$8)) near5 direct$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 11:55

S117	304	S112 and S116	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 11:55
S118	21	S117 and daemon	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 11:56
S119	16	S118 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 11:56
S120	2714	((public$7 global$7) near2 address) same ((private secur $5 secret$7 encrypt$5 firewall $5) near2 (address ID identif $8))	US-PGPUB; USPAT	OR	ON	2010/04/28 13:17
S121	27268	((broadcast$5 send$5 sent transmi$8 announc$7 notif$7 identif$7) near5 (address ID identif$8)) near5 direct$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 13:17
S122	304	S120 and S121	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/04/28 13:17
S123	138	S122 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/04/28 13:17

5/5/2010 5:47:22 PM
C:\Documents and Settings\psinkantarakorn\My Documents\EAST\Workspaces\10656834-2.wsp